


Section: 3 – Coil / Distributor boots – resistive cable


CB3



1:1

MATERIAL	LENGTH
Black PVC	38 mm


CB24



1:1

MATERIAL	LENGTH
TPR	22 mm


CB49



1:1

DESCRIPTION	MATERIAL
BMW coil cover	Silicone


CB115



1:2

DESCRIPTION	MATERIAL
Honda coil cover	TPR


CB116



1:1

DESCRIPTION	MATERIAL
Honda coil cover	Black TPR

CB117




1:1

DESCRIPTION	MATERIAL
Honda coil cover	Black Silicone

Section: 3 – Coil / Distributor boots – resistive cable


CB172



1:2

DESCRIPTION	MATERIAL
Coil cover	EPDM

CB214




5 mm

1:1

MATERIAL	LENGTH
TPR	22 mm

CB215




5 mm

1:1

MATERIAL	LENGTH
Black Silicone	43 mm


CB217



1:2

DESCRIPTION	MATERIAL
Alfa Romeo coil cover	EPDM


CB363



1:2

DESCRIPTION	MATERIAL
Alfa Romeo coil cover	PVC


CB755




1:2


DESCRIPTION	MATERIAL
Fiat	EPDM


Section: 3 – Coil / Distributor boots – resistive cable


CB760		1:1
<i>MATERIAL</i>	<i>LENGTH</i>	
TPR	22 mm	

CB812		1:1
<i>MATERIAL</i>	<i>LENGTH</i>	
Silicone	22 mm	


CB902	<u>IN DEVELOPMENT</u>	
<i>MATERIAL</i>	<i>LENGTH</i>	


DB32		1:1
<i>COMPONENTS</i>	<i>MATERIAL</i>	
Boot	DB32/B	EPDM
Clip	DB32/C	
Terminal	DB32/T	


DB55		1:2
<i>COMPONENTS</i>	<i>MATERIAL</i>	
Boot Nylon Clip	PVC, EPDM, Silicone, TPE	


DB118		1:1
<i>DESCRIPTION</i>	<i>MATERIAL</i>	
Alfa Romeo cable guide	Black Silicone, PVC	


Section: 3 – Coil / Distributor boots – resistive cable


DB163		1:1
<i>MATERIAL</i>		
Black TPR		

DB164		1:1
<i>MATERIAL</i>		
Black Silicone		


DB216		1:1
5 mm		
<i>MATERIAL</i>		
Black Silicone, TPE		


DB362		1:4
<i>APPLICATION(S)</i>		<i>MATERIAL</i>
Fiat 131 2 cyl. Distributor cap cover		PVC


DB383		1:1
5 mm		
<i>MATERIAL</i>	<i>LENGTH</i>	
Black Silicone	40 mm	


DB384		1:1
5 mm		
<i>MATERIAL</i>		
Black Silicone		
To fit 7 mm terminal		


Section: 3 – Coil / Distributor boots – resistive cable


DB387		1:1
<i>DESCRIPTION</i>		<i>MATERIAL</i>
Mazda 626 Distributor Boot		Silicone. TPE

DB564		1:1
<i>MATERIAL</i>		
PVC		


DB565		1:1
<i>MATERIAL</i>		5 mm
Silicone		


DB566		1:1
<i>MATERIAL</i>		
Silicone		


DB567		1:1
<i>MATERIAL</i>		5 mm
Silicone		


DC1		1:1
<i>MATERIAL</i>		
Black Nylon		


Section: 3 – Coil / Distributor boots – resistive cable


DC2		1:1
<i>MATERIAL</i>		
Black Nylon		

DC3		1:1
<i>MATERIAL</i>		
Black Nylon		

DC4		1:1
<i>MATERIAL</i>		
Black Nylon		

DC5		1:1
<i>MATERIAL</i>		
Black Nylon		


DC6		1:1
<i>MATERIAL</i>		
Black Nylon		

DC7		1:1
<i>MATERIAL</i>		
Black Nylon		

5 mm

Section: 3 – Coil / Distributor boots – resistive cable

DC9




1:1

MATERIAL

Black PVC

DC10




1:1

MATERIAL

Grey PVC

DC11




1:1

MATERIAL

Brown plastic

DC428




1:2

MATERIAL

Black Nylon

DC567




1:1

MATERIAL

Black Nylon

DC568


















1:2


MATERIAL


Black Nylon


Section: 3 – Coil / Distributor boots – resistive cable


DC/8a	DC8/b	DC/8c
		
<i>Angle = 90°</i>	<i>Angle = 60°</i>	<i>Angle = 30°</i>
DC/8d	DC8 BLACK NYLON CLIP	DC/8e
		
<i>Angle = 0°</i>		<i>Angle = 30°</i>
DC/8f		DC/8g
		
<i>Angle = 60°</i>		<i>Angle = 10°</i>
DC/8i	DC/8j	DC/8k
		
<i>Angle = 10°</i>	<i>Angle = 10°</i>	<i>Angle = 40°</i>
DC/8l	DC/8m	DC/8n
		
<i>Angle = 90°</i>	<i>Angle = 45°</i>	<i>Angle = 10°</i>
	DC/8o	
		
	<i>Angle = 30°</i>	


Section: 3 – Coil / Distributor boots – resistive cable


DC637		1:1
<i>MATERIAL</i>		
Nylon		

DC639		1:1
<i>MATERIAL</i>		
Nylon		


DC666		1:1
<i>MATERIAL</i>		
Nylon		


DC667		1:1
<i>MATERIAL</i>		
Nylon		


DC668		1:1
<i>MATERIAL</i>		
Nylon		


DCAP1		1:2
<i>MATERIAL</i>		
Nylon		


Section: 3 – Coil / Distributor boots – resistive cable


DCAP2		1:4
<i>MATERIAL</i>		
Nylon		

DCAP3		1:2
<i>MATERIAL</i>		
Nylon		

DCAP4		1:4
<i>MATERIAL</i>		
Nylon		

DCAP5		1:2
<i>MATERIAL</i>		
Nylon		

UB2		1:1
<i>MATERIAL</i>		<i>LENGTH</i>
Black PVC, TPE		50 mm

UB8		1:1
<i>MATERIAL</i>		<i>LENGTH</i>
Black PVC		33 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB9

$\phi 15$

1:1

MATERIAL

Black EPDM, Silicone, Grey Silicone, TPE

UB11

1:1

MATERIAL

Black EPDM, PVC, Silicone, Grey Silicone

UB12

37.5

1:1

MATERIAL

Black Silicone	UB12bs	Grey Silicone	UB12gs
Orange Silicone	UB12os	Grey Silicone	600°F

UB13

30

1:1

MATERIAL

EPDM, TPR	Grey Silicone	UB13gs	
Blue Silicone	UB13vs	Grey Silicone	600°F

UB14

1:1

MATERIAL

Black Silicone	UB14bs		
Orange Silicone	UB14os		

UB15

$\phi 14$

1:1

MATERIAL

Black EPDM, Silicone

Section: 3 – Coil / Distributor boots – resistive cable

UB18

1:1

<i>MATERIAL</i>		<i>LENGTH</i>
Silicone		41 mm
Grey Silicone	UB18gs	
Grey Silicone	600°F	

UB19

1:1

<i>MATERIAL</i>
Black EPDM, TPR, Silicone

UB20

1:1

<i>MATERIAL</i>
Black PVC, Silicone, TPR

UB22

1:1

<i>MATERIAL</i>	
Black Silicone	UB22bs
Black PVC	UB22bp
Black EPDM	UB22be

UB22gm

1:1

<i>MATERIAL</i>
Black Silicone, PVC

UB23

1:1

<i>MATERIAL</i>	<i>LENGTH</i>
Black TPR	32 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB48

1:1

MATERIAL	LENGTH
Silicone, EPDM, PVC, TPE	59 mm

UB59

1:1

MATERIAL	LENGTH
EPDM, PVC, TPE	32 mm

UB60

1:1

MATERIAL	LENGTH
Silicone, Red Silicone, PVC, TPE, EPDM, TPR	33 mm

UB65

1:1

MATERIAL
TPR, Silicone

UB66

1:1


MATERIAL	LENGTH
TPR, PVC	40 mm


UB67


1:1


MATERIAL	LENGTH
EPDM, Silicone, TPE, TPR	63 mm


Section: 3 – Coil / Distributor boots – resistive cable


UB68		1:2
MATERIAL		LENGTH
Silicone, TPE		80 mm

UB104		1:1
MATERIAL		
Black TPR, PVC		

UB105		1:1
MATERIAL		
Silicone, Red Silicone, PVC, TPE		


UB106		1:1
MATERIAL		
Silicone, EPDM		
Boot available empty, SAE fitment & M4		

UB107		1:1
MATERIAL		
Black TPR		

UB108		1:1
MATERIAL		
Black TPR		

Section: 3 – Coil / Distributor boots – resistive cable

UB109




1:1

MATERIAL

Black Silicone

UB112




1:1

MATERIAL

Black Silicone

UB159




1:1

MATERIAL

Black TPR


UB167



1:1

MATERIAL	LENGTH
Black TPR, PVC	28 mm


UB168



1:1

MATERIAL	LENGTH
Black TPR	40 mm

UB170




1:1

MATERIAL

Black Silicone

Section: 3 – Coil / Distributor boots – resistive cable


UB171



1:1

MATERIAL
PVC, TPE, EPDM, Silicone

UB175




1:1

MATERIAL
Black Silicone

UB220 = UB105


Replaced by UB105



1:1

MATERIAL
Silicone


UB222



1:1

MATERIAL		LENGTH
Black EPDM	UB222be	74 mm
Black Silicone	UB222bs	


UB295



1:1

MATERIAL
Silicone

UB296



1:1

MATERIAL		
Black Silicone	Grey Silicone	UB296gs
TPR, EPDM	Grey Silicone	600°F

Section: 3 – Coil / Distributor boots – resistive cable

UB307

1:1

MATERIAL	LENGTH
Black EPDM, Silicone	42 mm

UB436

1:1

MATERIAL
Black EPDM

UB454 v.1

1:1

MATERIAL	LENGTH
Silicone	46 mm

UB454 v.2

1:1

MATERIAL	LENGTH
Silicone, EPDM	46 mm

UB456

1:1


MATERIAL
Silicone


UB458


1:1


MATERIAL
Black Silicone


Section: 3 – Coil / Distributor boots – resistive cable


UB458 v.1		1:1
<i>MATERIAL</i>		<i>LENGTH</i>
Black Silicone		58 mm

UB458 v.2		1:1
<i>MATERIAL</i>		<i>LENGTH</i>
Black Silicone		58 mm

UB459		1:1
<i>MATERIAL</i>		
Black Silicone		

UB465		1:1
<i>MATERIAL</i>		
Silicone		

UB467		1:1
<i>MATERIAL</i>		
Black Silicone		

Replaced by UB611		
UB469 = UB611		1:2
<i>MATERIAL</i>		
Silicone, EPDM		

Section: 3 – Coil / Distributor boots – resistive cable

UB470

37
Ø14

1:1

MATERIAL

SILICONE, PVC, TPR

UB472

32

1:1

MATERIAL

Black Silicone

UB488

MATERIAL

Black PVC

UB489

Ø14

1:1

MATERIAL

Black EPDM

UB490

Ø18
41

1:1

MATERIAL	LENGTH
EPDM	41 mm

UB510

Ø14
42

1:1

MATERIAL	LENGTH
Black Silicone	42 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB608

1:1

MATERIAL	LENGTH
Silicone	58 mm

UB609

1:1

MATERIAL
Silicone

UB610

1:2

MATERIAL
Silicone

UB611 = UB469

1:2

MATERIAL
Silicone, EPDM

UB612

1:1

MATERIAL
Silicone, EPDM


UB613

1:1

MATERIAL
Silicone, EPDM

Section: 3 – Coil / Distributor boots – resistive cable


UB614



1:1

<i>MATERIAL</i>
EPDM


UB617



1:1

<i>MATERIAL</i>
SEBS


UB618



1:1

<i>MATERIAL</i>
SEBS


UB622



1:1

<i>MATERIAL</i>	<i>LENGTH</i>
Silicone, 7mm, 8mm	49 mm


UB623



1:1

<i>MATERIAL</i>	<i>LENGTH</i>
Silicone, TPR	44 mm

UB624



<i>MATERIAL</i>	<i>LENGTH</i>
Silicone	

Section: 3 – Coil / Distributor boots – resistive cable

UB625

MATERIAL	LENGTH
Silicone	

UB638

MATERIAL	LENGTH
TPR	36 mm

UB642

1:1

MATERIAL	LENGTH
Silicone	39 mm

UB649

1:1

MATERIAL	LENGTH
Silicone	35 mm

UB662

1:1

MATERIAL	LENGTH
TPR	49 mm

UB670

1:1

MATERIAL	LENGTH
Silicone	46 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB671

1:1

MATERIAL	LENGTH
Silicone	34 mm

UB672

1:1

MATERIAL	LENGTH
PVC, TPR, Silicone	34 mm

UB683

1:1

MATERIAL	LENGTH
Silicone, Red Silicone	34 mm

UB684

1:1

MATERIAL	LENGTH
Silicone, Red Silicone	51 mm

UB689

1:1

MATERIAL	LENGTH
Black Silicone	29 mm

UB691

1:2

MATERIAL	LENGTH
Black Silicone	69 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB691/v.1

68.6

1:2

MATERIAL	LENGTH
Black Silicone	68.6 mm

UB699

38

Ø15

1:1

MATERIAL	LENGTH
EPDM	38 mm

UB692

43

1:1

MATERIAL	LENGTH
Black Silicone	43 mm

UB693 v.1

62

1:1

MATERIAL	LENGTH
Black Silicone	62 mm

UB693 v.2

62

1:1

MATERIAL	LENGTH
Black Silicone	62 mm

UB694

Ø14

31

1:1

MATERIAL	LENGTH
Silicone	31 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB700

1:1

MATERIAL	LENGTH
EPDM	35 mm

UB713

1:1

MATERIAL	LENGTH
EPDM	41 mm

UB702

1:1

MATERIAL	LENGTH
EPDM	35 mm

UB705

1:1

MATERIAL	LENGTH
EPDM	57 mm

UB707

1:1

MATERIAL	LENGTH
EPDM	35 mm

UB710

1:1

MATERIAL	LENGTH
EPDM	28.5 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB714

1:1

MATERIAL	LENGTH
EPDM	35 mm

UB720

1:1

MATERIAL	LENGTH
EPDM	57 mm

UB715

1:1

MATERIAL	LENGTH
EPDM	40 mm

UB717

1:1

MATERIAL	LENGTH
SEBS	34 mm

UB718

1:1

MATERIAL	LENGTH
SEBS	43 mm

UB719

1:1

MATERIAL	LENGTH
EPDM	28.5 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB721

Technical drawing of distributor boot UB721. The drawing shows a cylindrical boot with a diameter of 15 mm and a length of 32 mm. The boot has a flared end and a central opening. The drawing is shown in a perspective view.

1:1	
MATERIAL	LENGTH
EPDM	32 mm

UB730

Technical drawing of distributor boot UB730. The drawing shows a cylindrical boot with a diameter of 14 mm and a length of 31.5 mm. The boot has a flared end and a central opening. The drawing is shown in a perspective view.

1:1	
MATERIAL	LENGTH
EPDM	31.5 mm

UB723

Technical drawing of distributor boot UB723. The drawing shows a cylindrical boot with a diameter of 10 mm and a length of 35 mm. The boot has a flared end and a central opening. The drawing is shown in a perspective view.

1:1	
MATERIAL	LENGTH
EPDM	35 mm

UB724

Technical drawing of distributor boot UB724. The drawing shows a cylindrical boot with a diameter of 17 mm and a length of 35 mm. The boot has a flared end and a central opening. The drawing is shown in a perspective view.

1:1	
MATERIAL	LENGTH
EPDM	35 mm

UB725

Technical drawing of distributor boot UB725. The drawing shows a cylindrical boot with a diameter of 16 mm and a length of 40 mm. The boot has a flared end and a central opening. The drawing is shown in a perspective view.

1:1	
MATERIAL	LENGTH
EPDM	40 mm

UB727

Technical drawing of distributor boot UB727. The drawing shows a cylindrical boot with a diameter of 16 mm and a length of 40 mm. The boot has a flared end and a central opening. The drawing is shown in a perspective view.

1:1	
MATERIAL	LENGTH
EPDM	40 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB731

1:1

MATERIAL	LENGTH
EPDM	31.5 mm

UB747

1:1

MATERIAL	LENGTH
EPDM	28.5 mm

UB733

1:1

MATERIAL	LENGTH
EPDM-U	32 mm

UB734

1:1

MATERIAL	LENGTH
EPDM	37 mm

UB739

1:1

MATERIAL	LENGTH
TPR, Silicone	34 mm

UB742

1:1

MATERIAL	LENGTH
Silicone	31 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB748

1:1

MATERIAL	LENGTH
EPDM	40 mm

UB792

1:1

MATERIAL	LENGTH
Grey hypalon	29 mm

UB761

1:1

MATERIAL	LENGTH
Silicone	34 mm

UB784

1:1

MATERIAL	LENGTH
Silicone	31,5 mm

UB790

1:1

MATERIAL	LENGTH
Grey neoprene	32 mm

UB791

1:2

MATERIAL	LENGTH
EPDM	65.5 mm

Section: 3 – Coil / Distributor boots – resistive cable

UB794

1:1

MATERIAL	LENGTH
Silicone	31 mm

UB808

1:2

MATERIAL	LENGTH
EPDM	29 mm

UB795

1:1

MATERIAL	LENGTH
Silicone	34 mm

UB797

1:1

MATERIAL	LENGTH
Silicone	31 mm

UB799

1:1

MATERIAL	LENGTH
Silicone	35 mm

UB804

1:2

MATERIAL
EPDM Black

Section: 3 – Coil / Distributor boots – resistive cable

UB811

1:1

MATERIAL	LENGTH
Silicone	34 mm

UB855

1:1

MATERIAL	LENGTH
Black Santoprene	33 mm

UB819

1:2

MATERIAL	LENGTH
Silicone	67.5 mm

UB839

1:1

MATERIAL	LENGTH
TPR	30.5 mm

UB841

1:1

MATERIAL	LENGTH
TPR	34 mm


UB847

1:1

MATERIAL	LENGTH
Silicone, Red Silicone, PVC, TPE, EPDM, TPR	33 mm

Section: 3 – Coil / Distributor boots – resistive cable


UB856



1:1

MATERIAL	LENGTH
Black TPR	32 mm

UB912



1:1

MATERIAL	LENGTH
Silicone	43 mm

UB935

IN DEVELOPMENT

1:2

MATERIAL	LENGTH
2 kolory	

UB951

IN DEVELOPMENT

1:2

MATERIAL	LENGTH
2 kolory	


UB958

IN DEVELOPMENT

1:2

MATERIAL	LENGTH

UB963



1:2

MATERIAL	LENGTH
Silicone	23 mm

Section: 3 – Coil / Distributor boots – resistive cable

G34		
	<i>MATERIAL</i>	<i>LENGTH</i>
	Silicone	42 mm

G35		
	<i>MATERIAL</i>	<i>LENGTH</i>
	Silicone	44 mm